



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/662,225	09/12/2003	Bernard Plessier	2110-49-3	8365
7590 12/13/2007 GRAYBEAL JACKSON HALEY LLP Suite 350 155-108th Avenue N.E. Bellevue, WA 98004-5973			EXAMINER CHERY, MARDOCHEE	
			ART UNIT 2188	PAPER NUMBER
			MAIL DATE 12/13/2007	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

## Office Action Summary

Application No.

10/662,225

Applicant(s)

PLESSIER ET AL. •

Examiner

Mardochee Chery

Art Unit

2188

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 25 May 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-10 and 12-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-10, 12-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_

- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on May 25, 2007 has been entered.

### ***Response to Amendment***

2. In response to the last Office Action, claims 1, 4, 12, and 13 are amended. Claim 11 is canceled. Claims 1-10 and 12- 20 are now pending.

3. The rejection of claims 1 and 4 under 35 USC 112, second paragraph as lacking proper antecedent basis is withdrawn in view of the amendment filed on May 25, 2007.

### ***Response to Arguments***

4. Applicant's representative's arguments filed on May 25, 2007 have been fully considered but they are not persuasive.

a. In regards to claim 8, applicant's representative argues on page 7 of the remarks that "the predetermined one of the memory locations is the same

memory location that is always used for accessing the memory contents and that Tamaiuolo neither discloses nor suggests using the same predetermined location to sequentially access memory locations via this same predetermined or selected memory location".

Claim 8 simply recites, inter alias, "...allow sequential access to the contents of the memory locations via a predetermined one of the memory locations during a second mode of operation." Needless to say, there no mention whatsoever of "using the same predetermined location to sequentially access memory locations via this same predetermined or selected memory location" as alleged by applicant's representative. Therefore, in response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., using the same predetermined location to sequentially access memory locations via this same predetermined or selected memory location) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

b. Applicant's representative submits on page 8 of the remarks that "...It is seen that in Iadanza as data is pushed into a given sub-array the content of the next sub-array is dependent on the content of the previous sub-array and that this operation is contrary to the express language of claim 1".

Claim 1 simply recites "a data content of any memory element of the sub-array being rotatable by shifts through the memory elements of the sub-array". Examiner would like to point out that it is overflow data that is shifted out of the given array and propagated to the next adjacent sub-array. Before data can be shifted out to the adjacent sub-array, that data has first been shifted in the given sub-array and it is only after that sub-array has been overflow that a particular data that has been shifted in the given sub-array now got shifted and propagated to the next adjacent sub-array.

- c. Applicant's representative argues on page 9 of the remarks that "neither Iadanza nor APA, whether taken alone or in combination, disclose or suggest such rings of memory locations" recited in claim 12.

However, these limitations of claim 12, "...the memory locations comprise rings...with the contents of each ring being independent of the contents of the other rings...the control circuit is operable to control each of the rings..." are not supported by the original disclosure and claim is susceptible to 112 first paragraph rejection as containing new matter.

- d. Finally, for Applicant's convenience; Examiner would like to point out that several limitations are statements of intended use of the claimed invention. A recitation of the intended use of the claimed invention must result in a structural

difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. For instance:-

- i. Independent claim 8 recite inter alias, "a control circuit coupled to the memory locations and operable to, allow random access..., and allow sequential access...
- ii. Independent claim 12 recites inter alias, "a control circuit...operable to cause the array to operate as a random access memory..., and a first-in-first out memory...
- iii. Dependent claim 13 recites inter alias, "the control circuit is operable to, receive..., shift..., and allow...
- iv. Independent claim 14 recites inter alias, a control circuit...operable to, allow random access..., and allow sequential access...

See, e.g., In re Otto, 312 F.2d 937, 938, 136 USPQ 458, 459 (CCPA 1963) (The claims were directed to a core member for hair curlers and a process of making a core member for hair curlers. Court held that the intended use of hair curling was of no significance to the structure and process of making.); In re Sinex, 309 F.2d 488, 492, 135 USPQ 302, 305 (CCPA 1962) (statement of intended use in an apparatus claim did not distinguish over the prior art apparatus). If a prior art structure is capable of performing the intended use as recited in the preamble, then it meets

the claim. See, e.g., *In re Schreiber*, 128 F.3d 1473, 1477, 44 USPQ2d 1429, 1431 (Fed. Cir. 1997). See also MPEP § 2112 - § 2112.02.

### ***Claim Rejections - 35 USC § 112***

5. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

6. Claim 12 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Claim 12 recites inter alia "...the memory locations comprise rings...with the contents of each ring being independent of the contents of the other rings...the control circuit is operable to control each of the rings...". These limitations find no support in the original disclosure under 35 USC 112 first paragraph and consist new matter. See *Waldemar Link, GmbH & Co. v. Osteonics Corp.* 32 F.3d 556, 559, 31 USPQ2d 1855, 1857 (Fed. Cir. 1994); *In re Rasmussen*, 650 F.2d 1212, 211 USPQ 323 (CCPA 1981). See MPEP § 2163.06 - § 2163.07(b) for a discussion of the relationship of new matter to 35 U.S.C. 112, first paragraph.

***Claim Rejections - 35 USC § 102***

7. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

8. Claims 8-10 and 14-16 are rejected under 35 U.S.C. 102(e) as being anticipated by Tomaiuolo (2002/0087817).

As per claims 8 and 14-16, Tomaiuolo discloses a memory, comprising: a plurality of memory locations each having a contents [par. 006]; and a control circuit coupled to the memory locations and operable to, allow random access to the memory locations during a first mode of operation, and allow sequential access to the contents of the memory locations via a predetermined one of the memory locations during a second mode of operation [page 6, left column, par. 8].

As per claim 9 Tomaiuolo discloses the first mode of operation comprises a read mode and the second mode of operation comprises a write mode [par. 004].



As per claim 10 Tomaiuolo discloses the first mode of operation comprises a write mode; and the second mode of operation comprises a read mode [par. 015].

***Claim Rejections - 35 USC § 103***

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Iadanza (6,091,645) in view of Applicant Admitted Prior Art (hereinafter APA).

As per claim 1, Iadanza discloses a memory comprising: at least one array of memory elements [col. 2, ll 28-35]; a partition of the at least one array into a plurality of sub-arrays of the memory elements [Fig. 1A-1D]; an array configuration circuit for selectively putting the at least one array in one of two operating configurations, the two operating configurations including [col. 2, ll 20-27]; a sub-array selector, responsive to a first memory address, for selecting one among the plurality of sub-arrays according to the first memory address, the sub-array selector enabling access to the selected sub-array [col. 2, ll 28-36]; and a memory element access circuit, responsive to a second memory address, for enabling access to a prescribed memory element in the selected sub-array after a prescribed number of shifts, depending on the second memory

address, of the data content of the memory elements in the selected sub-array, a data content of any memory element of the sub-array being rotatable by shifts through the memory elements of the sub-array [col. 8, ll 36-50; col. 10, ll 29-42].

However, landaza does not specifically teach a first operating configuration, in which the memory elements of the at least one array are coupled one to another to form a monodimensional sequentially-accessible memory, and a second operating configuration, in which the memory elements in each sub-array are coupled to one another so as to form an independent monodimensional sequentially-accessible memory block as required by the claim.

APA discloses a first operating configuration, in which the memory elements of the at least one array are coupled one to another to form a monodimensional sequentially-accessible memory, and a second operating configuration, in which the memory elements in each sub-array are coupled to one another so as to form an independent monodimensional sequentially-accessible memory block [pars. 6 and 7] to provide a memory that can be accessed sequentially in a first-in, first-out manner and a memory that can be accessed randomly (pars. 6-7).

Since the technology for implementing a memory array with a first operating configuration, in which the memory elements of the at least one array are coupled one to another to form a monodimensional sequentially-accessible memory, and a second

operating configuration, in which the memory elements in each sub-array are coupled to one another so as to form an independent monodimensional sequentially-accessible memory block was well known as disclosed by APA, an artisan would have been motivated to implement this feature in the system of Iadanza in order to have a memory that can be accessed sequentially in a first-in, first-out manner and a memory that can be accessed randomly. Thus, it would have been obvious to one of ordinary skill in the art at the time of invention by Applicant to modify the system of Iadanza to include a first operating configuration, in which the memory elements of the at least one array are coupled one to another to form a monodimensional sequentially-accessible memory, and a second operating configuration, in which the memory elements in each sub-array are coupled to one another so as to form an independent monodimensional sequentially-accessible memory block since this would have provided a memory that can be accessed sequentially in a first-in, first-out manner and a memory that can be accessed randomly (pars. 6-7) as taught by APA.

As per claim 2, Iadanza discloses said array configuration circuit includes, for each sub-array of memory elements, an input selector associated with a first memory element of the sub-array, for selectively feeding the first memory element with either an output of a last memory element in an adjacent previous sub-array, in the first operating configuration, or an output of a last memory element of the sub-array, in the second operating configuration [col. 2, ll 52-65; col. 5, ll 66 to col. 6, ll 12].

As per claim 3, Iadanza discloses the first operating configuration is a data storage configuration, in which the memory is put when data are to be stored therein, and the second operating configuration is a data retrieval configuration, in which the memory is put when data are to be retrieved therefrom [col. 1, ll 62 to col. 2, ll 4; col. 2, ll 28-36].

As per claim 4, Iadanza discloses in the second operating configuration each sub-array provides a respective output data, the sub-array selector selecting one sub-array output data out of the plurality of output data provided by the plurality of sub-arrays, according to the first address [col. 2, ll 28-36].

As per claim 5, Iadanza discloses said memory element access circuit enables a transfer of the output data of the selected sub-array to a memory output after a prescribed number of shifts of the data content of the memory elements in the selected sub-array [col. 8, ll 36-50; col. 10, ll 29-42].

As per claim 6, Iadanza discloses said memory element access circuit includes a counter for counting the number of data content shifts, and a coincidence detector detecting coincidence between a counter value and a value representative of the second address, the coincidence detector enabling the transfer of the output data of the selected sub-array to the memory output when the counter value equals the value representative of the second address [col. 2, ll 36-44; col. 10, ll 10-28; col. 35, ll 34-51;

col. 33, ll 25-34].

As per claim 7, Iadanza discloses each memory element includes at least one flip-flop [col. 28, ll 42-52].

11. Claims 12-13 and 17-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tomaiuolo (2002/0087817) in view of APA and further in view of Iadanza (6,091,645).

As per claim 12, Tomaiuolo discloses a memory, comprising: an array of memory locations [par. 005-006]; and a control circuit coupled to the array and operable to cause the array to operate as a random-access memory during a first mode of operation [page 6, left column, par. 8].

However, Tomaiuolo does not specifically teach a first-in-first-out memory during a second mode of operation as required by the claim.

APA discloses a first-in-first-out memory during a second mode of operation [Par. 006] to provide a memory that can be accessed sequentially in a first-in, first-out manner (pars. 6-7).

Since the technology for implementing a memory with a first-in-first-out memory during a second mode of operation was well known as disclosed by APA, an artisan

would have been motivated to implement this feature in the system of Tomaiuolo in order to have a memory that can be accessed sequentially in a first-in, first-out manner. Thus, it would have been obvious to one of ordinary skill in the art at the time of invention by Applicant to modify the system of Tomaiuolo to include a first-in-first-out memory during a second mode of operation since this would have provided a memory that can be accessed sequentially in a first-in, first-out manner (pars. 6-7) as taught by APA.

As per claim 12 Tomaiuolo further discloses the memory locations comprise rings of serially coupled memory locations each having a respective contents with the contents of each ring being independent of the contents of the other rings [page 6, left column, par. 8].

However, Tomaiuolo and APA do not specifically teach during the first mode of operation, the control circuit is operable to, receive a clock signal, shifting the contents of each respective memory location in the ring to a respective next memory location in the ring once per cycle of the clock signal, and allow access to a predetermined one of the memory locations during a predetermined cycle of the clock signal.

Iadanza discloses during the first mode of operation, the control circuit is operable to control each of the rings to, receive a clock signal, shifting the contents of

each respective memory location in the ring to a respective next memory location in the ring once per cycle of the clock signal, and allow access to a predetermined one of the memory locations during a predetermined cycle of the clock signal [col. 8, ll 36-50; col. 10, ll 29-42; col. 11, ll 28-35; col. 35, ll 52-59] to provide serial scan shifting of data for driving each of the memory cells (col. 11, ll 30-35).

Since the technology for implementing a memory with shifting the contents of each respective memory location in the ring to a respective next memory location in the ring once per cycle of the clock signal, and allow access to a predetermined one of the memory locations during a predetermined cycle of the clock signal was well known as evidenced by Iadanza, an artisan would have been motivated to implement this feature in the system of Tomaiuolo and APA in order to provide serial scan shifting of data for driving each of the memory cells. Thus, it would have been obvious to one of ordinary skill in the art at the time of invention by Applicant to modify the system of Tomaiuolo and APA to include shifting the contents of each respective memory location in the ring to a respective next memory location in the ring once per cycle of the clock signal since this would have provided serial scan shifting of data for driving each of the memory cells (col. 11, ll 30-35) as taught by Iadanza.

As per claim 13 Tomaiuolo discloses the memory locations comprise a ring of serially coupled memory locations each having a respective contents [page 6, left column, par. 8].

However, Tomaiuolo and APA do not specifically teach during the first mode of operation, the control circuit is operable to, receive a clock signal, shifting the contents of each respective memory location in the ring to a respective next memory location in the ring once per cycle of the clock signal, and allow access to a predetermined one of the memory locations during a predetermined cycle of the clock signal.

Iadanza discloses during the first mode of operation, the control circuit is operable to, receive a clock signal, shifting the contents of each respective memory location in the ring to a respective next memory location in the ring once per cycle of the clock signal, and allow access to a predetermined one of the memory locations during a predetermined cycle of the clock signal [col. 8, ll 36-50; col. 10, ll 29-42; col.11, ll 28-35; col. 35, ll 52-59] to provide serial scan shifting of data for driving each of the memory cells (col. 11, ll 30-35).

Since the technology for implementing a memory with shifting the contents of each respective memory location in the ring to a respective next memory location in the ring once per cycle of the clock signal, and allow access to a predetermined one of the memory locations during a predetermined cycle of the clock signal was well known as evidenced by Iadanza, an artisan would have been motivated to implement this feature in the system of Tomaiuolo and APA in order to provide serial scan shifting of data for driving each of the memory cells. Thus, it would have been obvious to one of ordinary



skill in the art at the time of invention by Applicant to modify the system of Tomaiuolo and APA to include shifting the contents of each respective memory location in the ring to a respective next memory location in the ring once per cycle of the clock signal since this would have provided serial scan shifting of data for driving each of the memory cells (col. 11, ll 30-35) as taught by Iadanza.

As per claims 17-20, the rationale in the rejection of claim 12 is herein incorporated.

### ***Conclusion***

12. When responding to the office action, Applicant is advised to clearly point out the patentable novelty that he or she thinks the claims present in view of the state of the art disclosed by references cited or the objections made. He or she must also show how the amendments avoid such references or objections. See 37 C.F.R. 1.111(c).

13. When responding to the Office action, Applicant is advised to clearly point out where support, with reference to page, line numbers, and figures, is found for any amendment made to the claims.

14. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mardochee Chery whose telephone number is (571) 272-4246. The examiner can normally be reached on 8:30A-5:00P.


Application/Control Number:  
10/662,225  
Art Unit: 2188

Page 17


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hyung Sough can be reached on (571) 272-6799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

December 6, 2007

  
HYUNG S. SOUGH  
SUPERVISORY PATENT EXAMINER

12/09/07

  
Mardochee Chery  
Examiner  
AU: 2188